UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/566,077	09/26/2006	Michael J. Delwiche	023070-139620US	8461
	7590 06/17/200 AND TOWNSEND AN		EXAMINER	
TWO EMBAR	CADERO CENTER	TUNG, JOYCE		
EIGHTH FLOO SAN FRANCIS	SCO, CA 94111-3834		ART UNIT	PAPER NUMBER
			1637	
			MAIL DATE	DELIVERY MODE
			06/17/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Comment	10/566,077	DELWICHE ET AL.			
Office Action Summary	Examiner	Art Unit			
	Joyce Tung	1637			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on					
	-· action is non-final.				
,	- · · · · · · · · · · · · · · · · · · ·				
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
dissect in assertation with the practice and in E.	x parte Quayre, 1000 0.2. 11, 10	0.0.210.			
Disposition of Claims					
 4) Claim(s) 1-23 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-23 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some coll None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 6/28/08. 4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application Other:					

Application/Control Number: 10/566,077 Page 2

Art Unit: 1637

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1-9 and 11 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential steps, such omission amounting to a gap between the steps. See MPEP § 2172.01. The omitted steps are: the means or basis by which DNA is detected.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1-23 are rejected under 35 U.S.C. 102(b) as being anticipated by Alatossava et al. (5,849,488, issued Dec. 15, 1998).

Alatossava et al. disclose a method of mastitis diagnosis by measuring the presence of specific DNA sequences in a milk sample (See column 3, lines 31-39). DNA is isolated from a milk sample from a female mammalian suspected to suffer from mastitis. The mammalian can be any species. Preferably it is a cow (See column 4, lines 16-19). The milk sample is contacted with a metal ion chelator, EDTA (See column 10, lines 4-9), and then contacted with a detergent, Tween-20 (See column 10, lines 11-14). A PCR reaction is carried out (See column 10, lines 16-20). The PCR products are analyzed by sequencing (See column 8, lines 17-26). The presence of

the target sequences can be determined by hybridization of a probe (See column 4, lines 43-60). The PCR products are also measured quantitatively with a fluorometric system (See column 7, lines 3-7). The milk sample is used with a pH 8 buffer (See column 10, lines 6-10).

Alatossava et al. also disclose inflammation study from mastitis milk in which the level of somatic cells in milk is estimated (See column 10, lines 35-36). A milk sample is lysed by heating and no protease is added to the milk sample (See column 10, lines 37-40). The DNA in the lysate is amplified by PCR. The amount of DNA in the PCR products is quantified by a densitometer. For comparison, the same milk sample is analyzed by two conventional somatic cell counting (SCC) tests. The results from comparison study demonstrate that the DNA-based SCC determination is as informative as the conventional SCC tests (See column 10, lines 36-52 and Table VI). The teachings of Alatossava as set forth above satisfy the limitations recited in claims 2-3.

Alatossava et al. also disclose a test kit which includes the elements as needed (see column 3, lines 48-63). This anticipates the compositions and kits of claims 12-23.

Thus, the teachings of Alatossava et al. anticipate the claimed methods, composition and kits.

Summary

- 5. No claims are allowed.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joyce Tung whose telephone number is (571) 272-0790. The examiner can normally be reached on Monday Friday, 8:30-5:00.

Application/Control Number: 10/566,077 Page 4

Art Unit: 1637

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on 571 272-0782. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kenneth R Horlick/ Primary Examiner, Art Unit 1637

Joyce Tung June 10, 2008